Metal Clad Suited for Every Purpose









Metal Clad

switches, double pole, socket outlets



Front plates: grey epoxy coated steel Terminal screws captive and backed off ready for cabling - large angled terminal entries Supplied complete with surface-mounting back box

Supplied complete with sufface-mounting back box					
Pack	Cat.Nos	Single pole switches 10 AX - 250 V \sim	Pack	Cat.Nos	Double pole switch 20A - 250V \sim
5	8833800T	Conform to IEC 60669-1 Flush-mounting back box: min. 35 mm deep Nominal plate dimensions: 81.5 x 81.5 mm 1 Gang 1 gang - 1 way	5	8833812T	Conform to IEC 60669-1 Flush-mounting back box: min. 30 mm deep Nominal plate dimensions: 81.5 x 81.5 mm DP switch + red LED power indicator
5	8833801T	1 gang - 2 way			
		2 Gang			Single pole socket outlets 13 A - 250 V Conform to BS 1363-2 + A1, MS 589-2, SS 145-2 With safety shutter mechanism Flush-mounting back box: min. 30 mm deep
5	8833802T	2 gang - 1 way 2 gang - 2 way	5	8833860T	1 Gang - Switched Nominal plate dimensions: 81.5 x 81.5 mm
5	8833803T		1	8833870T	2 Gang - Switched Nominal plate dimensions: 81.5 x 142.0 mm
5	8833804T	3 Gang 3 gang - 1 way			Socket outlets 15 A - 250 V Conform to MS 1577, BS 546, SS 472
5	8833805T	3 gang - 2 way 4 Gang	5	8833889T	Flush-mounting back box: min. 35 mm deep Nominal plate dimensions: 81.5 x 81.5 mm
5	8833806T				
5	8833807T	4 gang - 2 way			

Monular and the second s

Llegrand

LEGRAND GROUP BRANDS (M) SDN. BHD. (544761-T) (Formerly known as Megapower Legrand (M) Sdn. Bhd.) Lot 1888, Jalan KPB 7, Kawasan Perindustrian Balakong, Bukit Belimbing, 43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia.

Tel : +60 (3) 8962 3333 Fax: +60 (3) 8962 2211 Email: enquiries.malaysia@legrand.com